



MONTANA GOLD 400ML – CHROME EFFECT COLORS

Montana GOLD Chrome Effect is a solvent-based, nitro-acrylic effect spray paint. High covering and quick drying. The Chrome Effects are perfect for decorative use. Effect colors silver-, copper- and goldchrome are not abrasion proof and less weather resistant. The chrome effect is achieved by having the metallic pigment particles located on the surface of the object you are spraying. This is achieved by the lacquer remaining "open" so that light can shine and reflect off these particles. However this results in chrome effect cans being less weather resistant and not abrasion proof. Finger marks may occur if handling chrome effect sprayed items. Applying Montana GOLD clear coats make the paint appear less shiny and prevent it from reflecting light as efficiently as prior to the clear coat application. The Low-Pressure System allows a soft and easy use for smooth can and line control. Compatible with the Montana Level Cap system.

PRODUCT INFORMATION "MONTANA GOLD 400ML – CHROME EFFECT COLORS"

Lacquer Base	NC-Acrylic
Gloss Level	Semi Gloss
Valve System	Low-Pressure
Color Shades	3
Content	400ml

Montana GOLD Chrome Effect is a solvent-based, nitro-acrylic effect spray paint. High covering and quick drying. The Chrome Effects are perfect for decorative use. Effect colors silver-, copper- and goldchrome are not abbrasion proof and less weather resistant. The chrome effect is achieved by having the metallic pigment particles located on the surface of the object you are spraying. This is achieved by the lacquer remaining "open" so that light can shine and reflect off these particles. However this results in chrome effect cans being less weather resistant and not abrasion proof. Finger marks may occur if handling chrome effect sprayed items. Applying Montana GOLD clear coats make the paint appear less shiny and prevent it from reflecting light as efficiently as prior to the clear coat application. The Low-Pressure System allows a soft and easy use for smooth can and line control. Compatibel with the Montana Level Cap system.

USE: Shake Can well for 2-3 minutes. Remove the safety ring by removing the nozzle and turning the can upside down, allowing it to fall out. Then re-apply the nozzle. Test spray on a non-visible area to check for any reactions to lacquer or paint. Wear respirator mask (e.g. indoor use). Protect the object and the surrounding area from spray mist. Follow the warning texts on the label. Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse". For optimal lifespan, store cans always with the nozzle on.

COLOR CHART DOWNLOAD:

[GOLD COLOR CHART DOWNLOAD pdf.](#)